

# MEDIAWEL 50<sup>®</sup>

**AUTOMATED MEDIA PREPARATOR**

Combine compactness and large volumes



# MEDIA PREPARATOR


Prepare up to 50L of media

# MEDIAWEL 50<sup>®</sup>



## Safety lid

Locked above 80°C



## Large stirrer

From liquid to viscous media



## e-TRACE<sup>®</sup> Technology



## Easy to move

Large wheels with brakes



Multicolored visual and audible alarm

7" LCD touchscreen  
Gloves friendly

Antishock body  
ABS PC Plastic



## Optimised compacity

Same footprint as 30L media preparator :  
MEDIAWEL 30<sup>®</sup>

## PERFORMANCES



From 5 to 50 liters



60 - 90 min



25-125 °C / ± 0.5 °C

**Delivered with MEDIAWEL 50 :** USB stick with user Manual, control certificate, large magnetic stirrer (MEDW2008), sampling tube (MEDW2009), draining plug (MEDW2028), sampling nozzle seals x2 (MEDW4011), sampling nozzles x2 (MEDW2003 : Ø 12mm + MEDW2004: Ø 6.4mm), inlet and outlet water tubing (4 m) + 4 tubing clamps (MEDW4012), decompression filters x2 (MEDW3001), Bactystopper - calibrated sterile carded cotton x50 (MEDW3003), sliding washer stirrer axis x2 (MEDW4003), 3 Months free access to the Labpage "Real time data monitoring LICENCE"





## TECHNICAL DATA SHEET

Capacity	From 5 to 50 liters
Sterilization temperature	From 25°C to 125°C
Sterilization time	From 1 to 99 min
Distribution temperature	From 25°C to 80°C
Temperature accuracy	+/- 0.5°C after temperature stabilization
Remaining volume	<130ml
Adding cap	✓
Traceability	Integrated eTRACE® module, USB export of PDF/CSV files
WiFi/Ethernet traceability	Labpage® dashboard. Real time data monitoring, data storage on SD card (up to 10 000 cycles)
Temperature probe	3 probes (1 standard, 1 in option and 1 for calibration)
Safety pressure release	1.7 bar safety valve
Dispensing port	Adapters for tubes of 6.4 mm / 12 mm
Continuous homogenization	✓
Touchscreen	Tactile, LCD 7"
Alarm	Multicolored visual and audible alarm
Cleaning	Easy access to the vessel, bottom water evacuation
Mobility	Stable and easy to move : 4 large medical wheels with brakes
Robustness	Antishock body (ABS PC PLASTIC)
Vessel	Stainless steel AISI 316L
Programs	50
Weight	178kg
Dimensions (L x l x H)	735 x 585 x 1073
Warranty	1 year
Power supply	400v +/- 10% - 50/60Hz - 28A (Max by phase) 17000 W
Country of origin	France

# MEDIAWEL 50®



**FOOD SAMPLE PREPARATION**



BOOK YOUR DEMO !

<https://www.alliance-bio-expertise.com/en/store-locator/>



IGZ Instruments AG  
Furtbachstrasse 17  
8107 Buchs ZH

Tel. +41 44 456 33 33  
igz.ch igz@igz.ch



**FOLLOW THE BLOG**

[alliance-bio-expertise.com](http://alliance-bio-expertise.com)



ZI de Courbouton, Le Tremplin - 35480 GUIPRY - FRANCE

E-mail : [contact@abioexpertise.com](mailto:contact@abioexpertise.com)

Phone : +33(0)2.40.51.79.53

**[alliance-bio-expertise.com](http://alliance-bio-expertise.com)**